


AMI Duplexer for SCADA Systems™



AWWA C707-05 COMPLIANT

2 YEAR WARRANTY

Revenue-Grade Water Meter Accuracy: Now Available to the Utility's Billing Department and SCADA System Simultaneously...

You have an AMI-capable water meter, and you are quite satisfied with its ability to transmit revenue-grade readings into your AMI system – but in certain situations, wouldn't it be useful if you could collect those same revenue-grade readings into your SCADA system, as well?

The **Model SDA "AMI Duplexer for SCADA Systems"** was designed for that exact purpose!

The **AMI Duplexer** enables the splitting of AMI signals from every major AMI-capable water meter to every major AMI/AMR/Visual endpoint in the industry – including those from **Sensus, Neptune, Metron-Farnier, Kemp-Meek, Aclara, Mueller, Kamstrup, Badger, Master Meter, RG3, Zenner, Itron, Elster-AMCO, McCrometer,** and many others!

The **AMI Duplexer** maintains all the popular functionality contained within our retired **Radio-Read Filter** which led to its widespread acceptance at major water utilities throughout the United States and Canada – PLUS the additions of an attractive, compact din-rail case and a convenient removable terminal block.

It is important to note that the **SDA "AMI Duplexer for SCADA Systems"** is designed to **only** split a meter signal to a SCADAmetrics EtherMeter plus a third-party AMI device. If signal splitting to strictly non-EtherMeter devices is desired, then the **UDA "Universal Duplexer for AMI"** is the recommended signal splitter.

Are you interested in how SCADAmetrics technology can help you to eliminate pulse-counting errors and split a water meter's encoder signal to both your AMI and SCADA systems? Give us a call! We'll be glad to discuss the details!

SCADAmetrics
scadametrics.com
Saint Louis, Missouri USA
636.405.7101

Terminal Block Hookup:


Terminal	Function	Sensus Color (Badger, Metron-Farnier, Master Meter, Kamstrup, Mueller, Zenner, RG3, Aclara)	Neptune Color	Elster Color
1	EtherMeter/SCADA Clock	Red	Black	Wht Grn
2	EtherMeter/SCADA Data	Green White	Red	Red
3	EtherMeter/SCADA Ground	Black	Green	Black
4	EtherMeter/SCADA Control	Blue*	Blue*	Blue*
5	Water Meter Clock	Red	Black	Wht Grn
6	Water Meter Data	Green White	Red	Red
7	Water Meter Ground	Black	Green	Black
8	AMI Clock	Red	Black	Wht Grn
9	AMI Data	Green White	Red	Red
10	AMI Ground	Black	Green	Black

*Blue is Suggested, But Any Color Wire Can Be Used.

Specifications:


Dimensions: 4.50" x 4.50" x 1.25"
 Weight: 5.6 Ounces
 Temperature: -40C to 85C (-40°F to 185°F)
 Relative Humidity: 5% to 95%, Non-Condensing
 Enclosure Rating: NEMA-1, Not Rated for Outdoor Use
 Environmental: ROHS-Compliant, Lead-Free
 Meter Interface: AWWA C707-05
 External Power/Battery: None Required
 Manufacturing Location: USA
 Warranty: 2 Years (see www.scadameetrics.com for details)

Engineering Dimensions:




Operational Illustration:

- SENSUS SMART POINT
- NEPTUNE R900
- BADGER ORION
- MASTER METER XTR
- METRON-FARNIER M2W
- ACLARA MTU
- ITRON ERT
- VISUAL DISPLAY
- TOUCH-PAD



Model SDA

AMI Duplexer for SCADA Systems, Din-Rail Version



Notes:

1. With the exceptions of Neptune Technology Group and Elster-AMCO (Honeywell), most meter manufacturers follow the Sensus wire color-coding scheme.
2. SDA Meter Terminal Block Hookup (Terminals 5,6,7): Apply the color-coding that pertains to the manufacturer of the Water Meter.
3. SDA AMI/AMR Terminal Block Hookup (Terminals 8,9,10): Apply the color-coding that pertains to the manufacturer of the AMI/AMR Endpoint.
4. SDA SCADA Terminal Block Hookup (Terminals 1,2,3): Apply the color-coding that pertains to the manufacturer of the Water Meter.
5. SDA Control Terminal Block Hookup (Terminal 4): Connect this terminal to EtherMeter.Terminal.3
6. EtherMeter Terminal Block Hookup: When using channel.1, connect to Terminals 14,15,16. When using channel.2, connect to Terminals 17,18,19.
7. Alternative color-coding: manufacturers occasionally substitute a WHITE wire for a GREEN wire.